

For Commercial & Residential Applications

Job Name _____
 Job Location _____
 Engineer _____
 Approval _____

Contractor _____
 Approval _____
 Contractor's P.O. No. _____
 Representative _____

Heater Hose

Heater Hose is manufactured with lightweight EPDM rubber reinforced with multiple textile piles.

Attributes

- Smooth, dense bore maximizes flow and reduces sediment buildup.
- This black EPDM tubing is UV and ozone resistant.

Applications

- Designed for use with automotive coolant under standard operating temperatures and pressures.
- Can also be used on dishwasher and washing machine discharge hose.



⚠ WARNING
Not intended for use with potable water.

Resistance

Heat, ozone, and weather conditions , with limited oil resistance.

Operating Temperature Range . -40°F (-40°C) to 212°F (100°C)
 Material EPDM Rubber
 Color Black
 Hardness Durometer Shore A 75+/-3
 Bend Radius 6" – 9"

Packaging

Dispenser spools

Pressure Range

O.D. INCH	I.D. INCH	WALL	WORKING PRESSURE (PSI @ 70°F)
3/4	1/2	1/8	105
7/8	5/8	1/8	80
1	3/4	1/8	80

NOTICE

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of this product.

Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.



A Watts Water Technologies Company

USA: Tel: (978) 689-6066 • Fax: (978) 975-8350 • Watts.com
Canada: Tel: (905) 332-4090 • Fax: (905) 332-7068 • Watts.ca
Latin America: Tel: (52) 81-1001-8600 • Fax: (52) 81-8000-7091 • Watts.com