

For Point-of-Use Water Applications

Job Name _____
 Job Location _____
 Engineer _____
 Approval _____

Contractor _____
 Approval _____
 Contractor's P.O. No. _____
 Representative _____

10 Series Quick-Connect End Stop



1045

Sea Tech Quick-Connect Ends are designed and manufactured for many years of trouble free service. Produced of off white polypropylene, a high performance thermoplastic material, the Sea Tech Quick-Connect design allows for quick and easy connections without the use of installation tools.

Specifications

Connection shall be made using Sea Tech 10 Series Quick-Connect fitting with Integral Collet and O-Ring Guide. Fitting shall be able to fully rotate under pressure and allow for easy disconnect and reuse without the use of disconnection tools. Fitting must not disassemble to disconnect

Approvals

NSF-61

Ratings

150psi @ 70°F (10 bar @ 20°C)
 60psi @ 140°F (4 bar @ 60°C) Min. 33°F (1°C)

Example

1045-04


10 = Series 10
 45 = End Stop
 04 = 1/4" OD

Caution: The polypropylene material used in the Quick-Connect fittings can be compromised by exposure to volatile organic compounds (VOC's) and caustic chemicals. Therefore, **DO NOT** expose this product to any such chemical or foreign substance, which would include exposure to the following products: **Pipe Dopes (thread sealants)**, bug sprays, lubricants, cleaners, paints, bleaches, acids, solder fluxes, plastic piping primers and cements, oxidizing agents, alkaline solutions, thinners, fuels, oil based caulks, hydrocarbons, spray foam or foaming agents (insulation).

Dimensions – Weights approx. (tolerance +/- 1/8")

Type 45 End Stop

| MODEL | SIZE & CONNECTION | ITEM LENGTH | | ITEM HEIGHT | | ITEM WEIGHT | |
|---------|-------------------|-------------|----|-------------|----|-------------|------|
| | | in. | mm | in. | mm | lbs. | kg. |
| 1045-04 | 1/4" OD | 7/8" | 22 | 11/16" | 16 | 0.10 | 2.72 |



Sea Tech product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Sea Tech Technical Service. Sea Tech reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Sea Tech products previously or subsequently sold.

