

Hydro-Force™

Commercial Foodservice Plumbing Products

- Pre-Rinse Units and Components
- Faucets and Accessories
- Specialty Faucets and Sprays
- Pot and Glass Fillers
- Water Stations
- Drains and Parts



foodservice.watts.com

WATTS®

Introducing Hydro-Force™

The Key to Efficient, Productive Kitchens 1

Pre-Rinse Assemblies, Pre-Rinse Components and Parts

Product and Ordering Information..... 2

Faucet Assemblies

Product and Ordering Information..... 3

Faucet Components and Parts

Product and Ordering Information..... 4

Specialty Faucets, Glass Fillers and Water Station

Product and Ordering Information..... 5

Drains, Drain Components and Parts

Product and Ordering Information..... 6

Hydro-Force Economy Plumbing Products

Product and Ordering Information..... 7-8

Ordering Information

To order products in this catalog, contact Dormont Manufacturing, your exclusive foodservice source for Hydro-Force plumbing products.

Phone: 800-367-6668

E-mail: orders@dormont.com

Fax: 724-733-4808

To order Hydro-Force products for plumbing wholesale distribution in Canada, contact your local Watts sales representative.

Additional Hydro-Force information and product specifications are available at foodservice.watts.com.



SANIGUARD® is a registered trademark of Component Hardware, registered in the US.

Plumbing Products for Foodservice Kitchens

The key to efficient,
productive kitchens



You can't afford kitchen plumbing problems that can ruin a meal or bring your business to a crawl. That's why Watts is introducing its ergonomically designed yet robustly constructed line of Hydro-Force™ faucets, pre-rinses, drains and plumbing accessories. In the hands of your staff, Hydro-Force will help keep your kitchen running smoothly and safely for years.

Hydro-Force™ features Lead Free* quality-built faucets, pre-rinse assemblies, glass and pot fillers, and an expansive offering of plumbing components and parts. The line also includes drain products and service sink faucets that, although not required to be Lead Free, exhibit the quality and heavy-duty characteristics that ensure years of dependable service.



Hydro-Force™

- Engineered for high productivity
- Designed for functionality and style
- Made of the finest heavy-duty materials
- Warrantied—Two years, limited
- Certified to industry standards
- SANIGUARD® antimicrobial product protection

Available
Exclusively From **Dormont
Manufacturing**

Pre-Rinse Assemblies

Hydro-Force Lead Free wall- and deck-mounted pre-rinse assemblies are ergonomically designed and built tough for the most demanding commercial kitchen applications. Each features Lead Free, polished chrome-plated brass faucets, hot and cold valve cartridges with built-in backflow preventers, quarter-turn full-on valves, and a 44-inch flexible stainless steel hose with a spray head valve that provides 1.6 GPM action.

Hydro-Force pre-rinse assemblies can be purchased with add-on faucets and spouts ranging in length from six to 16 inches. Faucet components on these assemblies are certified by NSF to NSF/ANSI 61, section 9 and ASME A112.18.1.

Wall-Mount Pre-Rinse Units

Ordering Code	Description
LFP-WS8B	Wall-mount pre-rinse unit with wall bracket
LFP-WS8B-AF12	Wall-mount pre-rinse unit with wall bracket and 12-inch add-on faucet
LFRRMK-W	Wall-mount kit

Deck-Mount Pre-Rinse Units

LFP-DS4B	Deck-mount pre-rinse unit with wall bracket
LFP-DS4B-AF12	Deck-mount pre-rinse unit with wall bracket and 12-inch add-on faucet

Pre-Rinse Components and Parts

Hydro-Force includes an expansive offering of premium-quality components and parts for Hydro-Force pre-rinse assemblies and select units from other manufacturers. These include add-on faucets, replacement hoses, spray heads and a vast assortment of parts that typically wear after years of heavy use. Hydro-Force pre-rinse components and parts are always a perfect fit—and you'll find that it's easy and quick to install them.

Pre-Rinse Add-On Faucets

LFAF-06	Add-on faucet with 6-inch spout
LFAF-08	Add-on faucet with 8-inch spout
LFAF-10	Add-on faucet with 10-inch spout
LFAF-12	Add-on faucet with 12-inch spout
LFAF-14	Add-on faucet with 14-inch spout
LFAF-16	Add-on faucet with 16-inch spout



Pre-Rinse Spray Heads

LFPRSH-S	Pre-rinse spray head assembly
LFPRSH-A	Pre-rinse angled spray head assembly
LFPRSH-PF	Pot filler spray head assembly

Pre-Rinse Replacement Hoses

LFPRH-G44	44-inch pre-rinse hose assembly with grip
LFPRH-G60	60-inch pre-rinse hose assembly with grip
LFPRH-G72	72-inch pre-rinse hose assembly with grip
LFPRH-G96	96-inch pre-rinse hose assembly with grip

Pre-Rinse Replacement Parts

PRA-WB	Wall bracket
PRA-WH	Wall hook
PRA-HAS	Hook and screw assembly
PRA-S	Spring
LFPRSH-FP	Face plate (1.6 GPM)
LFPRSH-RK	Spray head repair kit
LFPRSH-SPR	Spring retainer
LFPRH-G	Hose grip
PRSH-BR	Bumper ring
LFPRSH-BV	Button valve assembly
LFPRH-R	18-inch riser pipe
LFPRH-A-C	Hose adapter— 3/8-inch NPT
LFPRPB-W8	Wall-mount pre-rinse base — 8 inch center

Faucet Assemblies

Watts' Hydro-Force line includes an impressive selection of Lead Free faucets for high-use foodservice applications. These include wall- and deck-mount faucets, single- and double-pantry faucets and workboard/bar sink faucets. All faucets feature Lead Free, chrome-plated brass construction with quarter-turn stems, hot and cold valve cartridges with built-in backflow preventers, and heavy-duty handles—and are certified by NSF to NSF/ANSI 61, section 9 and ASME A112.18.1.

Wall-Mount Faucets

Ordering Code	Description
LFF-WST8-S08S	Wall-mount faucet, 8-inch adjustable center, with 8-inch swivel spout
LFF-WST8-S10S	Wall-mount faucet, 8-inch adjustable center, with 10-inch swivel spout
LFF-WST8-S12S	Wall-mount faucet, 8-inch adjustable center, with 12-inch swivel spout
LFF-WST8-S14S	Wall-mount faucet, 8-inch adjustable center, with 14-inch swivel spout
LFF-WST8-S16S	Wall-mount faucet, 8-inch adjustable center, with 16-inch swivel spout
LFF-WST8-G06S	Wall-mount faucet, 8-inch adjustable center, with 6-inch swivel gooseneck spout



Deck-Mount Faucets

LFF-DST4-S08S	Deck-mount faucet, 4-inch adjustable center, with 8-inch swivel spout
LFF-DST4-S10S	Deck-mount faucet, 4-inch adjustable center, with 10-inch swivel spout
LFF-DST4-S12S	Deck-mount faucet, 4-inch adjustable center, with 12-inch swivel spout
LFF-DST4-G06S	Deck-mount faucet, 4-inch adjustable center, with 6-inch swivel gooseneck spout
LFF-DST8-S08S	Deck-mount faucet, 8-inch adjustable center, with 8-inch spout
LFF-DST8-S10S	Deck-mount faucet, 8-inch adjustable center, with 10-inch spout
LFF-DST8-S12S	Deck-mount faucet, 8-inch adjustable center, with 12-inch spout
LFF-DST8-G09S	Deck-mount faucet, 8-inch adjustable center, with 9-1/2 inch swivel gooseneck spout



Double & Single-Pantry Faucets

LFF-DSP-S06S	Single-pantry faucet with 6-inch swivel spout
LFF-DSP-S12S	Single-pantry faucet with 12-inch swivel spout
LFF-DSP-G06S	Single-pantry faucet with 6-inch swivel gooseneck spout
LFF-DSP-G09S	Single-pantry faucet with 9-1/2 inch swivel gooseneck spout
LFF-DDP-S06S	Double-pantry faucet with 6-inch swivel spout
LFF-DDP-S10S	Double-pantry faucet with 10-inch swivel spout
LFF-DDP-S12S	Double-pantry faucet with 12-inch swivel spout
LFF-DDP-G06S	Double-pantry faucet with 6-inch swivel gooseneck spout
LFF-DDP-G09S	Double-pantry faucet with 9-1/2 inch swivel gooseneck spout



Workboard/Bar Sink Faucets

LFF-WBF-S06S	Wall-mount workboard faucet, 4-inch center, with 6-inch swivel spout
LFF-WBF4-G03S	Wall-mount workboard faucet, 4-inch center, with 3-1/2 inch swivel gooseneck spout
LFF-WBF4-G06S	Wall-mount workboard faucet, 4-inch center, with 6-inch swivel gooseneck spout
LFF-WBF4-G09S	Wall-mount workboard faucet, 4-inch center, with 9-1/2 inch swivel gooseneck spout
LFF-DBF-S06S	Deck-mount workboard faucet, 4-inch center, with 6-inch swivel spout
LFF-DBF-G03S	Deck-mount workboard faucet, 4-inch center, with 3-1/2 inch swivel gooseneck spout
LFF-DBF-G06S	Deck-mount workboard faucet, 4-inch center, with 6-inch swivel gooseneck spout
LFF-DBF-G09S	Deck-mount workboard faucet, 4-inch center, with 9-1/2 inch swivel gooseneck spout



Additional configurations available. Please see foodservice.watts.com for more product information.

Faucet Components and Parts

Hydro-Force components, accessories and replacement parts reflect the same rugged characteristics of all Hydro-Force products so that your faucets stay in top condition and your kitchen runs smoothly and reliably. Spouts are available in swivel, double-jointed, and swivel gooseneck models. Bases include wall- and deck-mount styles as well as single- and double-pantry models. Other cost-saving Hydro-Force faucet items include replacement valves, mounting and repair kits, spout and rigid-to-swing adapters, and atmospheric vacuum breakers.

Faucet Spouts

Ordering Code	Description
LFFRS-06SS	6-inch swivel spout
LFFRS-08SS	8-inch swivel spout
LFFRS-10SS	10-inch swivel spout
LFFRS-12SS	12-inch swivel spout
LFFRS-14SS	14-inch swivel spout
LFFRS-16SS	16-inch swivel spout
LFFRS-18SD	18-inch double-jointed spout
LFFRS-24SD	24-inch double-jointed spout
LFFRS-03SG	3-1/2 inch swivel gooseneck spout
LFFRS-06SG	6-inch swivel gooseneck spout
LFFRS-09SG	9-1/2 inch swivel gooseneck spout



Faucet Bases

LFFRFB-W8	Wall-mount faucet base, 8-inch center
LFFRFB-D4	Deck-mount faucet base, 4-inch center
LFFRFB-D8	Deck-mount faucet base, 8-inch center
LFFRFB-DP	Double-pantry faucet base
LFFRFB-SP	Single-pantry faucet base
LFFRFB-BD4	Deck-mount bar faucet base, 4-inch center
LFFRFB-BW4	Wall-mount bar faucet base, 4-inch center



Faucet Replacement Parts

LFFRRV-H	Replacement valve, hot
LFFRRV-C	Replacement valve, cold
LFFRMK-W	Wall-mount kit
LFFRMK-D	Deck-mount kit
FRFH-W	Wrist-blade faucet handle repair kit
FRFH-S	Standard individual faucet handle with red and blue indicators
LFFRVB-A	Atmospheric vacuum breaker, 3/8-inch
LFFRVB-B	Atmospheric vacuum breaker, 1/2-inch
LFFRSA-A	Swing-to-rigid adapter
LFFRSA-B	Rigid-to-swing adapter
LFFRSA-C	Hydro-Force-to-T&S adapter—makes Hydro-Force base compatible with T&S spouts
LFFRRV-BC	Workboard/Bar faucet replacement valve, cold
LFFRRV-BH	Workboard/Bar faucet replacement valve, hot



Specialty Faucets

Quality-crafted Hydro-Force utility sprays and pot fillers are also Lead Free—and the perfect foodservice tools your staff needs to run a busy kitchen efficiently. Available in both wall- and deck-mount models, these fine products feature a 72-inch hose and vacuum breakers. Another heavy-duty item to consider is our Hydro-Force service sink faucet** that's built to provide years of dependable service.

Utility Sprays

Ordering Code	Description
LFUS-W8VB	Wall-mount utility spray, 8-inch adjustable center, with vacuum breaker and 72-inch hose
LFUS-D4VB	Deck-mount utility spray, 4-inch adjustable center, with vacuum breaker and 72-inch hose
LFUS-D8VB	Deck-mount utility spray, 8-inch adjustable center, with vacuum breaker and 72-inch hose



Pot Fillers

LFPF-W8VB	Wall-mount pot filler, 8-inch adjustable center, with vacuum breaker and 72-inch hose
LFPF-D4VB	Deck-mount pot filler, 4-inch adjustable center, with vacuum breaker and 72-inch hose
LFPF-D8VB	Deck-mount pot filler, 8-inch adjustable center, with vacuum breaker and 72-inch hose



Service Sink Faucets**

SF-WVB6	Service sink faucet, 8-inch center, with 6-1/2 inch spout, vacuum breaker and bracket
SF-WV2	Service sink faucet, 8-inch center, with 2-1/2 inch spout, vacuum breaker and bracket

**Not Lead Free



Glass Fillers and Water Station

Compact, yet exceptionally high-quality Hydro-Force glass fillers and water stations make it fast and easy for servers to get water to guests. You can purchase glass fillers in both wall- and deck-mount models. Water stations feature a self-rimming stainless steel bowl. All fillers and stations are Lead Free.

Glass Fillers

LFGF-D	Deck-mount glass filler
LFGF-W	Wall-mount glass filler

Water Station

LGFSS	Complete water station with deck-mount glass filler and self-rimming stainless steel sink
-------	---



Drains

Hydro-Force twist- and lever-handle drains are ruggedly built and designed to handle tough, everyday use—because the last thing a busy kitchen needs is a drain problem. Models are available with 3-inch and 3-1/2-inch openings, 1-1/2 inch and 2-inch drain outlets, and overflow outlets.



Twist-Handle Drains

Ordering Code	Description
W-TA-A	Twist-handle drain with 3-inch opening and 1-1/2 inch drain outlet
W-TA-B	Twist-handle drain with 3-inch opening and 2-inch drain outlet
W-TA-AF	Twist-handle drain with 3-inch opening, 1-1/2 inch drain outlet, and 1-1/4 inch overflow
W-TA-BF	Twist-handle drain with 3-inch opening, 2-inch drain outlet, and 1-1/4 inch overflow
W-TB-A	Twist-handle drain with 3-1/2 inch opening and 1-1/2 inch drain outlet
W-TB-B	Twist-handle drain with 3-1/2 inch opening and 2-inch drain outlet
W-TB-AF	Twist-handle drain with 3-1/2 inch opening, 1-1/2 inch drain outlet, and 1-1/4 inch overflow
W-TB-BF	Twist-handle drain with 3-1/2 inch opening, 2-inch drain outlet, and 1-1/4 inch overflow



Lever-Handle Drains

W-LA-A	Lever-handle drain with 3-inch opening and 1-1/2 inch drain outlet
W-LA-B	Lever-handle drain with 3-inch opening and 2-inch drain outlet
W-LA-AF	Lever-handle drain with 3-inch opening, 1-1/2 inch drain outlet, and 1-1/4 inch overflow
W-LA-BF	Lever-handle drain with 3-inch opening, 2-inch drain outlet, and 1-1/4 inch overflow
W-LB-A	Lever-handle drain with 3-1/2 inch opening and 1-1/2 inch drain outlet
W-LB-B	Lever-handle drain with 3-1/2 inch opening and 2-inch drain outlet
W-LB-AF	Lever-handle drain with 3-1/2 inch opening, 1-1/2 inch drain outlet, and 1-1/4 inch overflow
W-LB-BF	Lever-handle drain with 3-1/2 inch opening, 2-inch drain outlet, and 1-1/4 inch overflow

Drain Components and Parts

Replacement parts for Hydro-Force drains include head gaskets, face flanges, strainers, overflow heads, stem valve stoppers, and O-rings.

Drain Replacement Parts

WRA-HG	Head gasket for 3-inch sink opening
WRB-HG	Head gasket for 3-1/2 inch sink opening
WRA-FF	Face flange for 3-inch sink opening
WRB-FF	Face flange for 3-1/2-inch sink opening
WRA-FS	Flat strainer for 3-inch sink opening
WRB-FS	Flat strainer for 3-1/2 inch sink opening
WRC-SVS	Stem valve stopper
WRC-SR	Neoprene stopper O-ring
WRC-FH	Overflow head for 1-1/4 inch tubing
WRC-FE	One-piece, 1-1/4 inch overflow elbow



Hydro-Force Economy Plumbing Products

Hydro-Force™ Economy, Watts’ line of standard-grade foodservice plumbing products, is an excellent choice when value is your primary consideration. Economy includes Lead Free faucets, pre-rinse units, pot fillers, and an array of plumbing components and parts. Unlike Hydro-Force products, Economy products are not made with SANIGUARD protection.

- Designed for functionality
- Made of industry-grade materials
- Warrantied—Two years, limited
- Certified to industry standards

Wall-Mount Pre-Rinse Assemblies

Ordering Code	Description
LFP-WS8B-R	Wall-mount pre-rinse unit with wall bracket
LFP-WS8B-AF12-R	Wall-mount pre-rinse unit with 12-inch add-on faucet and wall bracket

Deck-Mount Pre-Rinse Assemblies

LFP-DS4B-R	Deck-mount pre-rinse unit with wall bracket
LFP-DS4B-AF12-R	Deck-mount pre-rinse unit with 12-inch add-on faucet and wall bracket

Pre-Rinse Spray Heads

LFPRSH-S-R	Pre-rinse spray head assembly
LFPRSH-A	Pre-rinse angled spray head assembly
LFPRSH-PF	Pot filler pre-rinse spray head assembly

Pre-Rinse Replacement Hoses

LFPRH-G44	44-inch pre-rinse hose assembly with grip
LFPRH-G60	60-inch pre-rinse hose assembly with grip
LFPRH-G72	72-inch pre-rinse hose assembly with grip
LFPRH-G96	96-inch pre-rinse hose assembly with grip

Pre-Rinse Add-On Faucets

LFAF-06-R	Add-on faucet with 6-inch swivel spout
LFAF-08-R	Add-on faucet with 8-inch swivel spout
LFAF-10-R	Add-on faucet with 10-inch swivel spout
LFAF-12-R	Add-on faucet with 12-inch swivel spout
LFAF-14-R	Add-on faucet with 14-inch swivel spout
LFAF-16-R	Add-on faucet with 16-inch swivel spout

Wall-Mount Faucets

LFF-WST8-S08S-R	Wall-mount faucet, 8-inch adjustable center, with 8-inch swivel spout
LFF-WST8-S10S-R	Wall-mount faucet, 8-inch adjustable center, with 10-inch swivel spout
LFF-WST8-S12S-R	Wall-mount faucet, 8-inch adjustable center, with 12-inch swivel spout
LFF-WST8-S14S-R	Wall-mount faucet, 8-inch adjustable center, with 14-inch swivel spout
LFF-WST8-G06S-R	Wall-mount faucet, 8-inch adjustable center, with 6-inch swivel gooseneck spout

Deck-Mount Faucets

LFF-DST4-S08S-R	Deck-mount faucet, 4-inch adjustable center, with 8-inch spout
LFF-DST4-S10S-R	Deck-mount faucet, 4-inch adjustable center, with 10-inch spout
LFF-DST4-S12S-R	Deck-mount faucet, 4-inch adjustable center, with 12-inch spout
LFF-DST4-G06S-R	Deck-mount faucet, 4-inch adjustable center, with 6-inch swivel gooseneck spout
LFF-DST8-S08S-R	Deck-mount faucet, 8-inch adjustable center, with 8-inch spout
LFF-DST8-S10S-R	Deck-mount faucet, 8-inch adjustable center, with 10-inch spout
LFF-DST8-S12S-R	Deck-mount faucet, 8-inch adjustable center, with 12-inch spout
LFF-DST8-G09S-R	Deck-mount faucet, 8-inch adjustable center, with 9-1/2 inch swivel gooseneck spout



Hydro-Force Economy (continued)

Faucet Bases

LFFRFB-W8-R	Wall-mount faucet base, 8-inch center
LFFRFB-D4-R	Wall-mount faucet base, 4-inch center
LFFRFB-D8-R	Deck-mount faucet base, 8-inch center
LFFRFB-DP-R	Double-pantry faucet base
LFFRFB-SP-R	Single-pantry faucet base
LFFRFB-BD4-R	Deck-mount workboard/bar faucet base, 4-inch center
LFFRFB-BW4-R	Wall-mount workboard/bar faucet base, 4-inch center



Faucet Replacement Parts

LFFRRV-H-C	Hot & cold valve replacement kit for wall-mount faucets
LFFRRV-C-R	Hot & cold valve replacement kit for deck-mount faucets
LFFRMK-D-R	Mounting kit for deck- or wall-mount faucets
LFFRRV-BH-R	Hot & cold valve replacement kit for wall-mount workboard/bar faucets



Utility Sprays

LFUS-W8VB-R	Wall-mount utility spray, 8-inch adjustable center, with vacuum breaker and 72-inch hose
LFUS-D4VB-R	Deck-mount utility spray, 4-inch adjustable center, with vacuum breaker and 72-inch hose
LFUS-D8VB-R	Deck-mount utility spray, 8-inch adjustable center, with vacuum breaker and 72-inch hose



Pot Fillers

LFPF-W8VB-R	Wall-mount pot filler, 8-inch adjustable center, with vacuum breaker and 72-inch hose
LFPF-D4VB-R	Deck-mount pot filler, 4-inch adjustable center, with vacuum breaker and 72-inch hose
LFPF-D8VB-R	Deck-mount pot filler, 8-inch adjustable center, with vacuum breaker and 72-inch hose




Workboard/Bar Sink Faucets

LFF-WBF4-S06S-R	Wall-mount workboard/bar faucet, 4-inch center, with 6-inch swivel spout
LFF-WBF4-G03S-R	Wall-mount workboard/bar faucet, 4-inch center, with 3-1/2 inch swivel gooseneck spout
LFF-WBF4-G06S-R	Wall-mount workboard/bar faucet, 4-inch center, with 6-inch swivel gooseneck spout
LFF-WBF4-G09S-R	Wall-mount workboard/bar faucet, 4-inch center, with 9-1/2 inch swivel gooseneck spout
LFF-DBF4-S06S-R	Deck-mount workboard/bar faucet, 4-inch center, with 6-inch swivel spout
LFF-DBF4-G03S-R	Deck-mount workboard/bar faucet, 4-inch center, with 3-1/2 inch swivel gooseneck spout
LFF-DBF4-G06S-R	Deck-mount workboard/bar faucet, 4-inch center, with 6-inch swivel gooseneck spout
LFF-DBF4-G09S-R	Deck-mount workboard/bar faucet, 4-inch center, with 9-1/2 inch swivel gooseneck spout

Double & Single Pantry Faucets

Ordering Code	Description
LFF-DSP-S06S-R	Single-pantry faucet with 6-inch swivel spout
LFF-DSP-S12S-R	Single-pantry faucet with 12-inch swivel spout
LFF-DSP-G06S-R	Single-pantry faucet with 6-inch swivel gooseneck spout
LFF-DSP-G09S-R	Single-pantry faucet with 9-1/2 inch swivel gooseneck spout
LFF-DDP-S06S-R	Double-pantry faucet with 6-inch swivel spout
LFF-DDP-S12S-R	Double-pantry faucet with 12-inch swivel spout
LFF-DDP-G06S-R	Double-pantry faucet with 6-inch swivel gooseneck spout
LFF-DDP-G09S-R	Double-pantry faucet with 9-1/2 inch swivel gooseneck spout

Represented by:



Ordering Information

To order products in this catalog, contact Dormont Manufacturing,
your exclusive foodservice source for Hydro-Force products.

Phone: 800-367-6668

E-mail: orders@dormont.com

Fax: 724-733-4808

To order Hydro-Force products for plumbing wholesale distribution in Canada,
contact your local Watts sales representative.

Additional Hydro-Force information and product specifications are available at
foodservice.watts.com



A Watts Water Technologies Company



US: Tel: (800) 367-6668 • Fax: (724) 733-4808 • foodservice.watts.com
CAN: Tel: (905) 332-4090 • Fax: (905) 332-7068 • foodservice.watts.com