


# Filox™ Backwashing Filters with CK10 Valves and Vortech Tanks

## Whole House Filters For Iron, Hydrogen Sulfide And Manganese.

Iron, Manganese and Hydrogen Sulfide are common elements found in your water and can be a nuisance causing stains in sinks, bathtubs, toilets, driveways and even the side of your house. In addition Iron, Manganese and Hydrogen Sulfide release unpleasant odors and tastes to your water supply. FILOX™, a non-chemical oxidizing media is the answer to these water problems.


### System Advantages

- Highest flow rate of any Iron removal media.
- No oxidizing chemicals needed for regeneration.
- High efficiency with minimum of 80% Manganese dioxide for enhanced performance and capacity.
- Effective, from 5.0 to 9.0 pH.
- System is easy to program, with 10 pre-programmed regeneration cycles to optimize water treatment.
- May require additional oxidizing agents depending on water conditions.
- 10 year warranty on tank.
- 5 year warranty on valve.
- Made in USA.



**Standard Mineral Tank**

Standard tanks use gravel under bedding, which adds weight and cost. Also, re-bedding is more difficult, should riser tubes pull out of the gravel bed.



**Vortech™ Mineral Tank**

No gravel under bedding is required, reducing weight and cost. Also, riser tubes are permanently attached, so they cannot pull out during re-bedding.

**Best Seller.  
Try It Today!**



**NOTE:** The use of chemicals and oxidizers, such as chlorine potassium permanganate and oxygen may be required to provide the optimal treatment for Iron, Hydrogen Sulfide and Manganese.

### Models

Model No.	Valve	Mineral Tank Size	Media Cubic Ft.	Gravel (Lbs)	Service Flow (GPM)	Drop (PSI)	Back Wash (GPM)	Floor Space LxWxH
NF09-W100F	Time clock	9X48	1	None	6	< 15	5.3	16X10X55
NF10-W100F	Time clock	10X54	1.5	None	9	< 15	7.5	16X11X62
NF12-W100F	Time clock	12X52	2	None	12	< 15	10	17X13X60
NF14-W100F	Time clock	14X65	3	None	18	< 15	15	18X15X74
NF16-W100F	Time clock	16X65	4	None	24	< 15	20	20X17X74

# Backwashing Filters For Sediment

## Whole House Filters For Sediment Reduction With High Efficiency Micro-Z™ Filter Media

Our filtration systems for sediment use high performance Micro-Z filter media to provide increased loading capability and higher service flow rates. Micro-Z's unique Zeolite structure offers increased porosity to outperform conventional sand filters by reducing water consumption. The need to backwash is dramatically reduced!

### Features & Benefits

- Uses Micro-Z™ for increased solids loading.
- Unique structure allows for higher flow rates.
- Reduces water consumption because the need to backwash is dramatically reduced.
- Reliable equipment, designed for long-term service



### Models With Standard Tanks

Part Number	Valve	Mineral Tank Size	Media Cubic Ft.	Gravel (Lbs)	Service Flow (GPM)	Drop (PSI)	Back Wash (GPM)	Floor Space LxWxH
NM09-CK10F	Timeclock	9X48	1	10	5/9	< 15/25	5.3	16X10X55
NM10-CK10F	Timeclock	10X54	1.5	10	7/10	< 15/25	7.5	16X11X62
NM12-CK10F	Timeclock	12X52	2	20	9/15	< 15/25	11	17X13X60
NM14-CK10F	Timeclock	14X65	3	40	13/21	< 15/25	15	18X15X74
NM16-CK10F	Timeclock	16X65	4	50	17/28	< 15/25	25	20X17X74

### Models With Vortech™ Tanks

Part Number	Valve	Mineral Tank Size	Media Cubic Ft.	Gravel (Lbs)	Service Flow (GPM)	Drop (PSI)	Back Wash (GPM)	Floor Space LxWxH
NM09-W100F	Timeclock	9X48	1	None	5/9	< 15/25	5.3	16X10X55
NM10-W100F	Timeclock	10X54	1.5	None	7/10	< 15/25	7.5	16X11X62
NM12-W100F	Timeclock	12X52	2	None	9/15	< 15/25	11	17X13X60
NM14-W100F	Timeclock	14X65	3	None	13/21	< 15/25	15	18X15X74
NM16-W100F	Timeclock	16X65	4	None	17/28	< 15/25	25	20X17X74

# Backwash Filters with GAC and CK10 Valves



## Whole House Filters For Chlorine, Taste, Odor And Sediment Reduction.

Our activated carbon filters are highly popular because they correct a wide range of water quality problems by removing chlorine, tastes, odors and sediment.

### Benefits

- Great tasting water from every tap in your house!
- No bad tastes
- No foul odors
- Crystal clear water for drinking, bathing and cooking!
- User-friendly equipment.
- Low maintenance due to automatic operation.

### Models With Standard Tanks

Part Number	Valve	Mineral Tank Size	Media Cubic Ft.	Gravel (Lbs)	Service Flow (GPM)	Drop (PSI)	Back Wash (GPM)	Floor Space LxWxH
NC09-CK10F	Timeclock	9X48	1	None	4	< 15	4.2	16X10X55
NC10-CK10F	Timeclock	10X54	1.5	None	6	< 15	5.3	16X11X62
NC12-CK10F	Timeclock	12X52	2	None	8	< 15	7.5	17X13X60
NC14-CK10F	Timeclock	14X65	3	None	11	< 15	10	18X15X74
NC16-CK10F	Timeclock	16X65	4	None	14	< 15	11	20X17X74
NC21-CK10F	Timeclock	21X62	5	None	20	< 15	25	22X23X70

### Models With Vortech™ Standard Tanks

Part Number	Valve	Mineral Tank Size	Media Cubic Ft.	Gravel (Lbs)	Service Flow (GPM)	Drop (PSI)	Back Wash (GPM)	Floor Space LxWxH
NC09-W100F	Timeclock	9X48	1	None	4	< 15	4.2	16X10X55
NC10-W100F	Timeclock	10X54	1.5	None	6	< 15	5.3	16X11X62
NC12-W100F	Timeclock	12X52	2	None	8	< 15	7.5	17X13X60
NC14-W100F	Timeclock	14X65	3	None	11	< 15	10	18X15X74
NC16-W100F	Timeclock	16X65	4	None	14	< 15	11	20X17X74
NC21-W100F	Timeclock	21X62	5	None	20	< 15	25	22X23X70

# Backwashing Filters with Fleck Valves



Fully assembled backwashing filters with activated carbon and MicroZ™

Backwashing filters come with Fleck valves and various options, so you can select the filter best suited for your application!

## Specifications

<b>Valves</b>	Fleck
<b>Valve type</b>	Time clock
<b>Pipe size</b>	3/4" and 1"(see below).
<b>By-pass</b>	(See below).
<b>Mineral tanks</b>	Corrosion resistant FRP. NSF.
<b>Media</b>	Various (see below)

## Backwashing Filters With Activated Carbon For Taste, Odor And Chlorine Reduction

Part Number	Valve	Valve Number	Pipe Size	Tank	Carbon (Cu. Ft.)	Size By-Pass	Service Flow (GPM)	Ship Wt. (lbs)
N2050D	Fleck	F5600	3/4"	9X48	1	3/4" SS	4.5	90
N2050	Fleck	F2510	3/4"	9X48	1	3/4"	4.5	90
N2051	Fleck	F2510	3/4"	10X54	1.5	3/4"	5.4	105
N2052	Fleck	F2510	3/4"	12X52	2	3/4"	7.8	117
N2051-1	Fleck	F2750	1"	10X54	1.5	None	5.4	90
N2052-1	Fleck	F2750	1"	12X52	2	None	7.8	105

## Backwashing Filters With MicroZ™ Media For Sediment Reduction

Part Number	Valve	Valve Number	Pipe Size	Tank	Carbon (Cu. Ft.)	Size By-Pass	Service Flow (GPM)	Ship Wt. (lbs)
N5245-09	Fleck	F2750	1"	9x48	1	None	5	110
N5245-10	Fleck	F2750	1"	10x54	1.5	None	7	140
N5245-12	Fleck	F2750	1"	12x52	2	None	9	167

## Neutralizers

Part Number	Valve	Valve Number	Pipe Size	Tank	Media (Cu. Ft.)	Backwash (GPM)	Service Flow (GPM)	Ship Wt. (lbs)
N2070	Neutralizer	F2510	3/4"	9x48	1	3	4	165
N2070-56	Neutralizer	F5600	3/4"	9X48	1	4	4	130

# NX Series Backwashing Filters - No Media



## NX Series Backwashing Filters

Our popular backwashing filter systems are now available without media. The NX series come complete with control valve, bypass, riser tube, and gravel.

- Add your “Special” media or blend that works best for your customers.
- Save on Shipping!
- Reduce your inventory.
- Complete backwashing system just add media!

## Models

Part No.	Valve	Mineral Tank Size	Media Cubic Ft.	Gravel (Lbs)	Tank	Drop (PSI)	Back Wash (GPM)	Floor Space LxWxH
NX09-CK10F	Timeclock	9X48	1	10	Black	1" PVC	5.3	16X10X55
NX10-CK10F	Timeclock	10x54	1.5	10	Black	1" PVC	7.5	16X11X62
NX12-CK10F	Timeclock	12X52	2	20	Black	1" PVC	10	17X13X60
NX14-CK10F	Timeclock	14X65	3	40	Black	1/4" - 1 1/2"*	15	18X15X74
NX16-CK10F	Timeclock	16X65	4	50	Black	1/4" - 1 1/2"*	20	20X17X74
NX21-CK10F	Timeclock	21X62	5	100	Natural	1/4" - 1 1/2"*	25	22X23X70

Note: Service flow rates and pressure drops will dependent upon media selected. \*Sweat.